Bulletin of Environmental Contamination and Toxicology

Volume 26 • 1981

Springer-Verlag
New York • Heidelberg • Berlin

The exclusive copyright for all languages and countries, including the right for photomechanical and any other reproductions, also in microform, is transferred to the publisher.

The use of registered names, trademarks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

Printed in U.S.A.

© 1981 by Springer-Verlag New York Inc.

INDEX - VOLUME 26

Acephate, disappearance from citrus foliage 267
levels in air following application to rooms 548
Acridine, and a life-cycle toxicity test using Daphnia 1
Chironomus tentans bioassay 601
Aldicarb, ChE test to diagnose bird poisoning 775
GC characteristic of PFB derivative 97
Aldrin, in marine organisms from the Aegean Sea 496
Algae, effect of glyphosate 91
Amino acids, in mantle tissue of mussels 157
Aminocarb, GC characteristic of PFB derivative 97
4-Aminophenol, elimination and distribution in frog and crayfish 289
4-Aminopyridine, residues in poisoned birds 389
toxicity to aquatic organisms 705
Ammonia, sediment bioassay with aquatic biota 323
toxicity to Daphnia 9
toxicity to fish 453
Amytal, acute toxicity determination by bioluminescence 150
Anthracene, determination in marine samples by HPLC 613
Arsenic, acute toxicity determination by bioluminescence 150
and free amino acids in mantle tissue of mussels 157
subchronic study on rats 42
usage pattern of treated wood on Michigan dairy farms 561
Arsenical Compounds, biochemical test for measuring chemical toxicity 145
Arsenite, prenatal toxicity in mice 749
Asulam, degradation in soil 102
Atrazine, effect on submerged aquatic plants (Elodea) 381
Azide, acute toxicity determination by bioluminescence 150

Bacteria, use in toxicity testing 433
Barban, GC characteristic of PFB derivative 97
Bendiocarb, ChE test to diagnose bird poisonings 775
effect on microorganisms in sewage 554
levels in air following application to rooms 548
Benthicarb, GC characteristic of PFB derivative 97
Benzanthracene, determination in marine samples by HPLC 613
Benzene, acute toxicity determination by bioluminescence 150
determination in soil 440
effect on mussel respiration and heart 729
Benzofluoranthene, determination in marine samples by HPLC 613
Benzoperylene, determination in marine samples by HPLC 613
Benzopyrene, determination in marine samples by HPLC 613
effect on mussel respiration and heart 729
Bioluminescence, use in toxicity testing 150
Biphenyl, petroleum contamination of food 737
Birds, brain cholinesterase response to fenitrothion 401
ChE reactivation technique for diagnosis of poisonings 775
effect of dietary DDE and crude oil on egg quality 328
effect of lead pellets on tissue lead concentrations 652
relation between age and brain ChE activity 544
residues of 4-aminopyridine 389

residues of DDT and HCB in hawks 248
toxicity of avian control chemicals to aquatic organisms 705
Brij 35, effect on petunia pollen germination 567
Brodifacoum, determination in animal tissue by HPLC 674
Bromodichloroanisole, identification in oysters in Tokyo Bay 577

Cadmium, accumulation from sediment by marine invertebrates 315
adsorption on marine dredge spoils 213
and free amino acids in mantle tissue of mussels 157
effect of dredge spoils on shrimp 219
elimination by oyster 345
influence of complexans on toxicity to fish 641
levels in domestic canine hair 60
level in fish and shellfish cultured in sewage effluent 54
levels in sediment and edible clam 124
morphological changes in a diatom 745
sediment bioassay with aquatic biota 323
subchronic study on rats 42
toxic effects on the garden snail 634
toxicity and effect on testes of a marsupial 233
Captafol, acute toxicity determination by bioluminescence 150
Captan, worker exposure during seed potato treatment 681
Carbaryl, acute toxicity determination by bioluminescence 150
comparison of residue methods for 789
effect on microorganisms in sewage 554
GC characteristic of PFB derivative 97
levels in air following application to rooms 548
Carbofuran, bioconcentration by caddisfly egg masses 299
enhanced degradation in soil 781
exposure from drift during an aerial application 537
GC characteristic of PFB derivative 97
Carbon Monoxide, in dwellings in poor rural areas 24
Carbophenothion, ChE test to diagnose bird poisonings 775
CDEC, GC characteristic of PFB derivative 97
Cetyltrimethylammonium Bromide, effect on petunia pollen germination 567
Chlordane, acute toxic responses of the freshwater planarian 502
γ-Chlordane, identification in fish 254
Chlorfenvinphos, ChE test to diagnose bird poisonings 775
Chlorination, effect on plasma protein of trout 163
Chlorobenzenes, acute toxicity to fish 446
o-Chlorobenzylidene Malononitrile, effect on immune response 571
Chlorocresol, acute toxicity to trout 295
Chlorodibromoanisole, identification in oysters in Tokyo Bay 577
Chlorodibromophenol, identification in oysters in Tokyo Bay 577
Chloroethanes, acute toxicity to fish 446
Chloroethylenes, acute toxicity to fish 446
3-Chloro-4-methylbenzenamine, toxicity to aquatic organisms 705
5-Chloro-3-methylcatechol, acute toxicity to trout 295
Chlorophenol, acute toxicity to fathead minnow 585
acute toxicity to fish 446
biochemical test for measuring chemical toxicity 145

Chlorothalonil, in blood and urine of rats following administration 258
Chlorpropham, GC characteristic of PFB derivative 97
Chlorpyrifos, effect on microorganisms in sewage 554
levels in air following application to rooms 548
Chlorpyrifos-methyl, effect on nontarget insects 696
Chromium, influence on stream ephemeroptera 228
sediment bioassay with aquatic biota 323
subchronic study on rats 42
Clam, accumulation of Cu, Zn, Cd and Pb from sediment 315
element levels after culture in sewage effluent 54
levels of Cd, Cu, Fe, Pb and Zn 124
Cobalt, adsorption on marine dredge spoils 213
Compound 1080, determination in bait by HPLC 669
Copper, accumulation from sediment by marine invertebrates 315
adsorption on marine dredge spoils 213
effect of dredge spoils on shrimp 219
effect of flouride on levels in bone and kidney 428
levels in domestic canine hair 60
level in fish and shellfish cultured in sewage effluent 54
levels in sediment and edible clam 124
subchronic study on rats 42
toxicity to fish 453
Crab, effect of PCB 479
toxicity of ozonated estuarine water 171
Crayfish, elimination and distribution of substituted phenols 289
Cresol, acute toxicity determination by bioluminescence 150
Cyanide, acute toxicity determination by bioluminescence 150
biochemical test for measuring chemical toxicity 145
sediment bioassay with aquatic biota 323
toxicity to fish 453
Cyhexatin, acute toxicity determination by bioluminescence 150
Cypermethrin, persistence in soil 513

2,4-D, a radioimmunoassay for residues in water 375
effect on microorganisms in sewage 554
Daphnia, a rapid and easy transfer technique 22
effect of particulate oil on survival and fecundity 606
reproducibility of a life-cycle toxicity test 1
toxicity of coal conversion process water 9
DDD, bioconcentration by caddisfly egg masses 299
DDE, diagnosis of death via residues in carcass 367
effect on egg quality 328
DDT, acute toxicity determination by bioluminescence 150
bioconcentration by caddisfly egg masses 299
diagnosis of death via residues in carcass 367
in marine organisms from the Aegean Sea 496
levels in Norwegian lake fish 679
persistence in soil 513
residues in eggs and carcasses of hawks 248

DDT Compounds, in water and sediment from Galveston Bay, Texas 769
Decamethrin, effect on nontarget insects 696
effect on mosquito fish and desert pupfish 689
persistence in soil 513
Desmedipham, GC characteristic of PFB derivative 97
Dialkyl Phosphates, analysis by extractive alkylation 520
in urine after exposure to disulfoton and phorate 524
Diazinon, acute toxicity determination by bioluminescence 150
effect on microorganisms in sewage 554
levels in air following application to rooms 548
recovery from sewage sludge 116
Dibenzoanthracene, determination in marine samples by HPLC 613
Dibromophenol, identification in oysters in Tokyo Bay 577
Dibutyl Phthalate, effect on drug metabolizing enzymes 764
Dichloran, acute toxicity determination by bioluminescence 150
Dichlorocatechol, acute toxicity to trout 295
Dichlorophenol, acute toxicity to fathead minnow 585
acute toxicity to trout 295
biochemical test for measuring chemical toxicity 145
identification in oysters in Tokyo Bay 577
Dichloropropane, acute toxicity to fish 446
Dichlorprop, effect on soil respiration and nitrogen transformation 108
Dichlorvos, effect on microorganisms in sewage 554
Dieldrin, bioconcentration by caddisfly egg masses 299
diagnosis of death via residues in carcass 367
Diethylenetriaminepentaacetic acid (DTPA), effect on Cd toxicity 641
Di-(2-ethylhexyl) Phthalate, effect on drug metabolizing enzymes 764
in water and sediment from Galveston Bay, Texas 769
3,5-Diethylphenol, elimination and distribution in frog and crayfish 289
Diflubenzuron, bioconcentration by caddisfly egg masses 299
Dimethoate, ChE test to diagnose bird poisonings 775
Dimethylphenol, acute toxicity to fathead minnow 585
Dimethyl Phthalate, effect on drug metabolizing enzymes 764
Dinitrocresol, acute toxicity to fathead minnow 585
Dinitrophenol, acute toxicity to fathead minnow 585
Diphenyl Ether, uptake, metabolism and elimination by fish 243
Disulfoton, formulator exposure to 524
Dodecylcyclohexane, distribution and elimination by fish 337
Dredge Spoil, avoidance by herring 307
sediment bioassay with aquatic biota 323
Drilling Fluid, effect on embryo development 207
Dyes, degradation by sewage sludge microorganisms 31, 38

Endothal, toxicity measurements on plant foliage 281
Ethanol, fetotoxicity in mice 813
Ethylcyclohexane, metabolic profile in rat and dog 461
Ethylenediaminetetraacetic acid (EDTA), effect on Cd toxicity 641

Fenitrothion, brain cholinesterase response in songbirds 401
levels in air following application to rooms 548

Fenpropanate, persistence in soil 513
Fenvalerate, bovine urinary excretion and rumen decomposition 262
persistence in soil 513
Fish, accumulation and excretion of PCBs 46
acute toxicity of 12 phenolic compounds 585
acute toxicity of priority pollutants 446
avoidance of dredge spoil 307
background hydrocarbon residues in 724
biotransformation of mercurials by intestinal microorganisms 359
distribution and elimination of a naphthenic hydrocarbon 337
effect of decamethrin and permethrin 689
effect of drilling fluid on embryo development 207
effect of pentachlorophenol on liver 594
effect of trans-stilbene oxide on hepatic enzymes 801
effect of water chlorination on plasma protein 163
element levels after culture in sewage effluent 54
identification of γ-chlordene in 254
identification of residues of musk xylene and musk ketone 656
influence of complexans on cadmium toxicity 641
investigation of a fish kill near Crete 453
organochlorine residues 496, 679
reduction of PCBs from fillets through skin removal 364
relationship between mercury concentration and size 352
toxic and teratogenic effects of hydrazine on embryos 807
toxicity of chlorinated phenols, catechols and cresols 295
toxicity of ozonated estuarine water 171
toxicity of Yugoslavian river water 179
uptake, metabolism and elimination of diphenyl ether 243
Flame Retardant, Reofos 95 in sewage sludge 116
Fluoride, effect on Cu, Mn and Zn levels in bone and kidney 428
subchronic study on rats 42
FMC-45497, effect on nontarget insects 696
Formaldehyde, acute toxicity determination by bioluminescence 150
Formetanate, GC characteristic of PFB derivative 97

Glyphosate, acute toxicity determination by bioluminescence 150
effect on diatom populations in an aquatic environment 91

Heptadecane, residues in fish 724
Hexachlorobenzene, bioconcentration by caddisfly egg masses 299
in marine organisms from the Aegean Sea 496
levels in Norwegian lake fish 679
residues in eggs and carcasses of hawks 248
Hexachlorobiphenyl, a protein binding radioassay method 237
Hexachlorocyclohexane, effect on chromosomes 508
Hexachlorocyclopentadiene, retention and fate in rat 663
Hexachlorophene, tissue distribution in lactating cow 424
Hydrazine, toxic and teratogenic effects on fish embryos 807
Hydrocarbons, residues in fish 724

Iron, levels in sediment and edible clam 124
subchronic study on rats 42
Isopropylchlorobiphenyls, accumulation and excretion by mouse and fish 46
Isopropylnaphthalene, distribution and excretion in rats 626

Karbutilate, GC characteristic of PFB derivative 97

Lead, accumulation from sediment by marine invertebrates 315
adsorption on marine dredge spoils 213
and free amino acids in mantle tissue of mussels 157
effect of chronic exposure on rats 647
levels in domestic canine hair 60
levels in fish and shellfish cultured in sewage effluent 54
levels in sediment and edible clam 124
subchronic study on rats 42
tissue concentrations and lead pellets 652
Liquid Chromatography, determination of brodifacoum in tissue 674
determination of sodium fluoroacetate in bait 669
polycyclic aromatic hydrocarbons in marine samples 613
Lobster, element levels after culture in sewage effluent 54

Malathion, acute toxicity determination by bioluminescence 150
bioconcentration by caddisfly egg masses 299
disappearance from citrus foliage 267
effect on microorganisms in sewage 554
recovery from sewage sludge 116
Manganese, effect of fluoride on levels in bone and kidney 428
levels in domestic canine hair 60
levels in fish and shellfish cultured in sewage effluent 54
Mecoprop, effect on soil respiration and nitrogen transformation 108
Meobal, GC characteristic of PFB derivative 97
Mercury, biochemical test for measuring chemical toxicity 145
biotransformation by intestinal microorganisms from fish 359
glutathione peroxidase response in tissues of rats 77
in eggs from chickens fed Hg-contaminated grain 472
in marine sediment in Western Australia 757
relationship between concentration and size of shark 352
sediment bioassay with aquatic biota 323
subchronic study on rats 42
Methamidophos, disappearance from citrus foliage 267
Methiocarb, ChE test to diagnose bird poisonings 775
GC characteristic of PFB derivative 97
residue method for sorghum using tlc/dansyl chloride 393
toxicity to aquatic organisms 705
Methomyl, GC characteristic of PFB derivative 97
Methoxychlor, bioconcentration by caddisfly egg masses 299
Methoxyphenol, acute toxicity to fathead minnow 585
Methylcholanthrene, determination in marine samples by HPLC 613
Methylethylbenzene, metabolic profile in rat and dog 621

Mevinphos, ChE test to diagnose bird poisonings 775
Milk, residues of hexachlorphene 424
residues of bis(2,3,3,3-tetrachloropropyl) ether 420
Monuron, bioconcentration by caddisfly egg masses 299
Musk Ketone, identification in freshwater fish 656
Musk Xylene, identification in freshwater fish 656
Mussel, distribution in and elimination of phenanthrene 196
effect of 3 aromatic hydrocarbons on respiration and heart rates 729
free amino acids in mantle tissue 157
levels of hydrocarbons in 202

Naphthalene, petroleum contamination of food 737
N-(3-chloro-4-methylphenyl)acetamide, toxicity to aquatic organisms 705
Nickel, adsorption on marine dredge spoils 213
levels in fish and shellfish cultured in sewage effluent 54
subchronic study on rats 42
Nitrophenols, acute toxicity to fish 446, 585
elimination and distribution by frog and crayfish 289
Nonachlor, in adipose tissues of dogs and cats in Tokyo 407
Nuclear Magnetic Resonance, whole organism ^{31}P spectra 73

OMS-1356, effect on nontarget insects 696
Oxamyl, ChE test to diagnose bird poisonings 775
Oxychlordane, in adipose tissues of dogs and cats in Tokyo 407
Oysters, determination of polycyclic aromatic hydrocarbons by HPLC 613
element levels after culture in sewage effluent 54
elimination of laboratory-acquired cadmium 345
polyhalogenated anisoles and phenols in tissue 577
Ozone, effect of in vivo exposure to sheep 273

PA-14, toxicity to aquatic organisms 705
Paraquat, acute toxicity determination by bioluminescence 150
chemical degradation following spillage on soil 16
Parathion, exposure from drift during an aerial application 530
persistence in soil 513
recovery from sewage sludge 116
Pendimethalin, uptake by the sea nettle Chrysaora 386
Pentachloroanisole, identification in oysters in Tokyo Bay 577
Pentachlorophenol, acute toxicity to fathead minnow 585
acute toxicity to trout 295
biochemical test for measuring chemical toxicity 145
biodegradation in a simulated aquatic environment 85
effect on estuarine benthic communities 137
effect on liver of bluegill sunfish 594
identification in oysters in Tokyo Bay 577
toxicity testing using bacteria 433
usage pattern of treated wood on Michigan dairy farms 561
Permethrin, effect on mosquito fish and desert pupfish 689
persistence in soil 513

Petroleum, Chironomus tentans bioassay for fuel products and effluents 601
distribution and elimination of dodecylcyclohexane by fish 337
effect of dietary crude oil on egg quality 328
effect of particulate oil on Daphnia pulex 606
Petroleum Refinery Effluents, acute toxicity determination by bioluminescence 150
Phenanthrene, distribution in and elimination by mussel 196
petroleum contamination of food 737
Phenmedipham, GC characteristic of PFB derivative 97
Phenol, acute toxicity determination by bioluminescence 150
acute toxicity to fathead minnow 585
biochemical test for measuring chemical toxicity 145
elimination and distribution in frog and crayfish 289
Phorate, formulator exposure to 524
Phoxim, photolysis on glass and tomato leaves 413
Phthalate Esters, acute toxicity to fish 446
Pirimicarb, ChE test to diagnose bird poisonings 775
Pirimiphos-methyl, ChE test to diagnose bird poisonings 775
Polychlorinated Biphenyls, accumulation and excretion by mouse and fish 46
effect on the fiddler crab 479
in marine organisms from the Aegean Sea 496
in rice-bran oil used in Taiwan 489
in water and sediment from Galveston Bay, Texas 769
levels in Norwegian lake fish 679
protein binding radioassay method 237
reduction from fish fillets through skin removal 364
residues in feedlot steers 485
Polychlorinated Dibenzofurans, in rice-bran oil used in Taiwan 489
Polycyclic Aromatic Hydrocarbons, determination in marine samples by HPLC 613
Polymethylbiphenyl, petroleum contamination of food 737
Polymethylnaphthalene, petroleum contamination of food 737
Polymethylphenanthrene, petroleum contamination of food 737
Polyoxyethyleneglycol Surfactants, effect on petunia pollen germination 567
Promecarb, GC characteristic of PFB derivative 97
Propoxur, effect on microorganisms in sewage 554
GC characteristic of PFB derivative 97
levels in air following application to rooms 548
Pyrene, determination in marine samples by HPLC 613

Quinoline, Chironomus tentans bioassay 601

Radioimmunoassay, 2,4-D and 2,4,5-T in water 375
Ridomil, acute toxicity determination by bioluminescence 150

Sediment, levels of hydrocarbons in 202
Selenium, glutathion peroxidase response in tissues of rats 77
in eggs from chicken fed Hg-contaminated grain 472
levels in fish and shellfish cultured in sewage effluent 54
levels in urine 466
subchronic study on rats 42

Shrimp, accumulation of Cu, Zn, Cd and Pb from sediment 315
effect of dredge spoils containing Cd, Cu and Zu 219
Simazine, effect on submerged aquatic plants (Elodea) 381
Sludge, and degradation of chemical dyes 31, 38
Sodium Dodecylsulfate, effect on petunia pollen germination 567
Sodium Fluoroacetate, determination in bait by HPLC 669
Soil, degradation study of asulam 102
determination of benzene by the purge-and-trap technique 440
effect of dichlorprop and mecoprop 108
persistence of five pyrethroid insecticides 513
trans-Stilbene Oxide, response of fish hepatic enzymes 801
Surfactants, effect on petunia pollen germination 567

2,4,5-T, a radioimmunoassay for residues in water 375
Temephos, effect on nontarget insects 696
Terbufos, bioconcentration by caddisfly egg masses 299
Terbutryn, effect on dissolved oxygen content in water 65
Tetrachloroanisole, identification in oysters in Tokyo Bay 577
Tetrachlorocatechol, acute toxicity to trout 295
Tetrachloroethylene, human exposure data, Italy 131
Tetrachlorophenol, acute toxicity to trout 295
identification in oysters in Tokyo Bay 577
toxicity to rats 795
bis(2,3,3,3-Tetrachloropropyl) ether , in human milk 420
Thallium, acute toxicity to fish 446
Thenoyltrifluoroacetone, acute toxicity determination by bioluminescence 150
Thiabendazole, acute toxicity determination by bioluminescence 150
Thiofanox, ChE test to diagnose bird poisonings 775
Thiophanate-methyl, GC characteristic of PFB derivative 97
Tobacco smoke, fetotoxicity in mice 813
Toluene, acute toxicity determination by bioluminescence 150
effect on mussel respiration and heart 729
Tribromoanisole, identification in oysters in Tokyo Bay 577
Tribromophenol, acute toxicity to fathead minnow 585
identification in oysters in Tokyo Bay 577
Trichloroanisole, identification in oysters in Tokyo Bay 577
Trichloroethylene, human exposure data, Italy 131
Trichlorophenol, acute toxicity to fathead minnow 585
acute toxicity to trout 295
biochemical test for measuring chemical toxicity 145
identification in oysters in Tokyo Bay 577
Triton X-100, effect on petunia pollen germination 567
Tween, effect on petunia pollen germination 567

Vanadium, determination in a marine mollusc 224

Water, seasonal variation of mutagenic activity 188
Worker Exposure, during seed potato treatment with captan 681
to disulfoton and phorate 524

Zinc, accumulation from sediment by marine invertebrates 315
adsorption on marine dredge spoils 213
and free amino acids in mantle tissue of mussels 157
effect of dredge spoils on shrimp 219
effect of fluoride on levels in bone and kidney 428
levels in domestic canine hair 60
levels in fish and shellfish cultured in sewage effluent 54
levels in sediment and edible clam 124
sediment bioassay with aquatic biota 323
subchronic study on rats 42